



PHOENIX COATINGS, INC
Winery Brochure

"THE LEADER IN SPRAY APPLIED POLYURETHANE FOAM TANK INSULATION"



Winemakers take pride in the wine that they make. We take pride in the tanks that we insulate.

The following wineries understand the value of outstanding craftsmanship and have had their foam insulations installed by Phoenix Coatings, Inc.:

Bear Creek Winery Lodi * Callaway Vineyards Temecula* Capello, Inc. McFarland* Cambria Winery Santa Maria * Chateau Souverain Geyserville* Cuvaison Winery Calistoga * Delano Grape Growers Delano * E & J Gallo Winery Fresno & Livingston * Grapeco dba Frutec Madera* The Wine Group Tulare * Beaulieu Vineyards Rutherford * F. Korb & Bros. Geyserville* Vie Del Company Fresno & Kingsburg * Luna Vineyards Napa * Wente Bros. Winery Livermore *Canandaigua/Paul Masson Madera * Bogle Vineyards Clarksburg * SVP Winery Shandon * Chateau St. Jean Kenwood * Estancia Vineyards Soledad * Gibson Wine Company Sanger * Golden State Vintners Fresno , Reedley & Cutler* J.Lhor Winery San Jose * Kendall Jackson Winery Geyserville * Oak Ridge Vineyards Lodi *R.H. Phillips Vineyards Esparto * Lost Hills Winery Acampo * Canandaigua Winery Madera * Dry Creek Vineyards Healdsburg * Wild Horse Vineyards Templeton * Riverland Vineyards Gonzales* Quady Madera * Franciscan Estates Rutherford * Taft Street Sebastopol * Freemark Abbey St. Helena * Chateau Lasgoity Madera* Babcock Winery Lompoc* Pedrizzetti Winery Morgan Hills *

Belvedere Vineyards & Winery Healdsburg * Fresno State University * Trinchero Family Estates St. Helena * Mount Eden Vineyards Saratoga



Phoenix Coatings ability to adapt the application to any tank style is an art form accomplished by true craftsmen.



Our artisans understand quality and take pride in the application of polyurethane foam as an art. We set the standard by which all other applicators are judged.



Consistency in the detailing, so that each tank looks the same, has been one of the keys to Phoenix Coatings' success in the wine industry.



Phoenix Coatings uses additional base coating with 1800 psi tensile strength around valves and man ways to reduce damage by hoses and spanner wrenches. This extra attention can reduce punctures and extend the service life of your tanks.



Each gage is hand sanded and detailed to give a smooth holiday free bond to the tank's surface.



Hand detailing to the tops give the tanks strong crisp visually appealing lines.